

# Contents

---

|                                                          |           |
|----------------------------------------------------------|-----------|
| <b>Summary</b>                                           | <b>xi</b> |
| <b>1 Physics objectives and design considerations</b>    | <b>1</b>  |
| 1.1 The ALICE experiment                                 | 1         |
| 1.2 Physics requirements                                 | 1         |
| 1.2.1 Heavy ion collisions                               | 1         |
| 1.2.2 Proton proton collisions                           | 3         |
| 1.3 TRD design considerations                            | 4         |
| 1.4 General description of the TRD                       | 5         |
| <b>2 Design objectives and mechanical structure</b>      | <b>7</b>  |
| 2.1 General considerations                               | 7         |
| 2.2 Mechanical structure                                 | 7         |
| 2.2.1 Space frame                                        | 7         |
| 2.2.2 TRD in the space frame                             | 9         |
| 2.2.3 TRD supermodule                                    | 10        |
| 2.2.4 TRD readout chamber                                | 11        |
| 2.3 Support for services                                 | 11        |
| 2.4 Tolerances and alignment                             | 12        |
| 2.4.1 Tolerances for the TRD readout chambers            | 12        |
| 2.4.2 Alignment of readout chambers within a supermodule | 12        |
| 2.4.3 Alignment of supermodules within the space frame   | 12        |
| <b>3 Radiators</b>                                       | <b>13</b> |
| 3.1 General considerations and requirements              | 13        |
| 3.2 Radiator design                                      | 14        |
| 3.3 Radiator performance                                 | 16        |
| <b>4 Readout chambers</b>                                | <b>19</b> |
| 4.1 Choice of gas                                        | 19        |
| 4.1.1 Drift velocity and diffusion                       | 20        |
| 4.1.2 Lorentz angle                                      | 20        |
| 4.1.3 Electron attachment                                | 21        |
| 4.2 Mechanical structure                                 | 22        |
| 4.3 Wire planes                                          | 24        |
| 4.4 Readout pads                                         | 25        |
| 4.4.1 Pad response function                              | 27        |
| 4.4.2 Improvement of $z$ -resolution                     | 27        |
| 4.5 Track reconstruction                                 | 29        |
| 4.6 Electrostatic calculations                           | 31        |
| 4.6.1 Gas gain                                           | 31        |
| 4.6.2 Gain stability                                     | 32        |
| 4.6.3 Pad coupling                                       | 34        |
| 4.6.4 Ion feedback                                       | 35        |
| 4.6.5 Isochrony                                          | 35        |
| 4.6.6 Electrostatic matching                             | 36        |

|          |                                                      |            |
|----------|------------------------------------------------------|------------|
| <b>5</b> | <b>Front-End Electronics</b>                         | <b>39</b>  |
| 5.1      | Electronics overview . . . . .                       | 39         |
| 5.1.1    | General requirements . . . . .                       | 39         |
| 5.1.2    | System overview . . . . .                            | 41         |
| 5.2      | Chip technology . . . . .                            | 43         |
| 5.2.1    | ADC Integration . . . . .                            | 44         |
| 5.2.2    | ADC technology choices . . . . .                     | 44         |
| 5.3      | Preamplifier / Shaper . . . . .                      | 45         |
| 5.3.1    | Requirements . . . . .                               | 45         |
| 5.3.2    | Implementation . . . . .                             | 45         |
| 5.3.3    | Prototypes . . . . .                                 | 47         |
| 5.4      | ADC . . . . .                                        | 48         |
| 5.5      | TRD trigger states . . . . .                         | 49         |
| 5.6      | Trigger timing . . . . .                             | 50         |
| 5.6.1    | Clock distribution and clock domains . . . . .       | 52         |
| 5.6.2    | Distribution of fast signals . . . . .               | 52         |
| 5.7      | Interface to the ALICE trigger system . . . . .      | 54         |
| 5.8      | Multi-Chip Module (MCM) overview . . . . .           | 56         |
| 5.9      | MCM prototypes and performance . . . . .             | 56         |
| 5.9.1    | Prototype Motherboard . . . . .                      | 56         |
| 5.9.2    | Prototype MCM . . . . .                              | 56         |
| 5.10     | Design for test . . . . .                            | 58         |
| 5.10.1   | Preamplifier . . . . .                               | 58         |
| 5.10.2   | Local Tracking Unit (LTU) . . . . .                  | 59         |
| 5.10.3   | MCM testing and verification . . . . .               | 59         |
| <b>6</b> | <b>Electron trigger with the TRD</b>                 | <b>61</b>  |
| 6.1      | Physics motivation . . . . .                         | 61         |
| 6.2      | Concept . . . . .                                    | 62         |
| 6.3      | Hardware implementation . . . . .                    | 63         |
| 6.3.1    | Trigger concept . . . . .                            | 63         |
| 6.3.2    | Local Tracking Unit (LTU) functionality . . . . .    | 65         |
| 6.3.3    | Tracklet processor . . . . .                         | 70         |
| 6.3.4    | Readout Scheme . . . . .                             | 83         |
| 6.3.5    | Implementation of the Global Tracking Unit . . . . . | 83         |
| 6.4      | Simulation . . . . .                                 | 84         |
| 6.4.1    | Local tracklet search . . . . .                      | 85         |
| 6.4.2    | Local tracking performance . . . . .                 | 87         |
| 6.4.3    | Tracklet Matching - Global Tracking Unit . . . . .   | 96         |
| 6.4.4    | GTU tracking efficiency . . . . .                    | 98         |
| 6.4.5    | Electron identification . . . . .                    | 101        |
| 6.4.6    | Background . . . . .                                 | 103        |
| 6.5      | Performance . . . . .                                | 103        |
| 6.5.1    | Generalities of Pb-Pb collisions . . . . .           | 103        |
| 6.5.2    | $\Upsilon$ count rates . . . . .                     | 105        |
| 6.5.3    | Trigger rates . . . . .                              | 107        |
| <b>7</b> | <b>Readout and Data Flow</b>                         | <b>111</b> |
| 7.1      | Data types and format . . . . .                      | 111        |
| 7.1.1    | Tracklets . . . . .                                  | 111        |

|           |                                                                |            |
|-----------|----------------------------------------------------------------|------------|
| 7.1.2     | Raw data . . . . .                                             | 112        |
| 7.2       | Hardware implementation . . . . .                              | 112        |
| 7.2.1     | Readout scheme . . . . .                                       | 112        |
| 7.2.2     | GTU link . . . . .                                             | 115        |
| 7.2.3     | Detector link . . . . .                                        | 117        |
| <b>8</b>  | <b>The gas system</b>                                          | <b>119</b> |
| 8.1       | Introduction . . . . .                                         | 119        |
| 8.2       | Gas choice . . . . .                                           | 119        |
| 8.3       | Layout . . . . .                                               | 120        |
| 8.3.1     | Mixing unit . . . . .                                          | 120        |
| 8.3.2     | Circulation and purification system . . . . .                  | 121        |
| 8.3.3     | Backup system . . . . .                                        | 123        |
| 8.3.4     | Recovery station . . . . .                                     | 124        |
| 8.4       | Gas distribution pipework . . . . .                            | 125        |
| 8.5       | Prototype . . . . .                                            | 126        |
| <b>9</b>  | <b>Services</b>                                                | <b>129</b> |
| 9.1       | Low voltage power distribution . . . . .                       | 129        |
| 9.1.1     | Requirements . . . . .                                         | 129        |
| 9.1.2     | Low voltage power supplies and cables . . . . .                | 130        |
| 9.1.3     | Layout . . . . .                                               | 131        |
| 9.2       | High voltage power distribution for drift field . . . . .      | 132        |
| 9.2.1     | Requirements . . . . .                                         | 133        |
| 9.2.2     | High voltage power supplies . . . . .                          | 133        |
| 9.2.3     | Layout . . . . .                                               | 133        |
| 9.3       | High voltage power distribution for readout chambers . . . . . | 133        |
| 9.3.1     | Requirements . . . . .                                         | 133        |
| 9.3.2     | High voltage power supplies . . . . .                          | 133        |
| 9.3.3     | Layout . . . . .                                               | 133        |
| 9.4       | Cooling distribution . . . . .                                 | 134        |
| 9.4.1     | Requirements . . . . .                                         | 134        |
| 9.4.2     | Description of cooling system and layout . . . . .             | 134        |
| 9.5       | Gas distribution . . . . .                                     | 137        |
| 9.5.1     | Layout . . . . .                                               | 137        |
| <b>10</b> | <b>Material budget</b>                                         | <b>139</b> |
| <b>11</b> | <b>Detector performance</b>                                    | <b>141</b> |
| 11.1      | Requirements . . . . .                                         | 141        |
| 11.2      | Simulation of the detector response . . . . .                  | 141        |
| 11.2.1    | Energy loss . . . . .                                          | 141        |
| 11.2.2    | Transition radiation . . . . .                                 | 144        |
| 11.2.3    | Signal generation . . . . .                                    | 148        |
| 11.3      | Point reconstruction . . . . .                                 | 152        |
| 11.3.1    | Clustering method . . . . .                                    | 152        |
| 11.3.2    | Occupancy . . . . .                                            | 152        |
| 11.3.3    | Position resolution . . . . .                                  | 153        |
| 11.4      | Tracking . . . . .                                             | 154        |
| 11.4.1    | Algorithm . . . . .                                            | 154        |
| 11.4.2    | Performance . . . . .                                          | 155        |

|           |                                                                   |            |
|-----------|-------------------------------------------------------------------|------------|
| 11.5      | Pion rejection . . . . .                                          | 158        |
| <b>12</b> | <b>Physics performance</b>                                        | <b>163</b> |
| 12.1      | Introduction . . . . .                                            | 163        |
| 12.2      | Primary collision . . . . .                                       | 163        |
| 12.3      | Simulation environment . . . . .                                  | 165        |
| 12.3.1    | Simulation of the detector layout . . . . .                       | 166        |
| 12.3.2    | Simulation of input particles . . . . .                           | 166        |
| 12.3.3    | Simulation studies . . . . .                                      | 167        |
| 12.4      | $\Upsilon$ and $J/\psi$ mesons . . . . .                          | 167        |
| 12.4.1    | Acceptance . . . . .                                              | 167        |
| 12.4.2    | $\Upsilon$ invariant mass distribution . . . . .                  | 170        |
| 12.5      | B and D mesons . . . . .                                          | 172        |
| 12.6      | TRD acceptance for different geometrical configurations . . . . . | 177        |
| 12.7      | Background . . . . .                                              | 180        |
| 12.8      | Summary . . . . .                                                 | 180        |
| <b>13</b> | <b>Detector control</b>                                           | <b>183</b> |
| 13.1      | Hardware . . . . .                                                | 184        |
| 13.2      | Communication . . . . .                                           | 186        |
| 13.3      | Software . . . . .                                                | 186        |
| 13.4      | Safety and quality management . . . . .                           | 187        |
| 13.4.1    | Mechanical . . . . .                                              | 187        |
| 13.4.2    | Gas . . . . .                                                     | 187        |
| 13.5      | Radiation protection . . . . .                                    | 187        |
| 13.6      | Electrical system protection . . . . .                            | 187        |
| 13.6.1    | High voltage for readout chambers . . . . .                       | 187        |
| 13.6.2    | Low voltage . . . . .                                             | 187        |
| <b>14</b> | <b>Tests with prototypes</b>                                      | <b>191</b> |
| 14.1      | Prototype description . . . . .                                   | 191        |
| 14.2      | Source tests with $^{55}\text{Fe}$ . . . . .                      | 192        |
| 14.2.1    | Signals and spectra . . . . .                                     | 192        |
| 14.2.2    | Gas gain . . . . .                                                | 194        |
| 14.2.3    | Pad response function . . . . .                                   | 194        |
| 14.3      | Beam tests . . . . .                                              | 198        |
| 14.3.1    | Setup . . . . .                                                   | 198        |
| 14.3.2    | General properties of the detector . . . . .                      | 199        |
| 14.3.3    | Pion and electron distributions . . . . .                         | 204        |
| 14.3.4    | Radiator comparison . . . . .                                     | 206        |
| 14.3.5    | Pion rejection performance . . . . .                              | 208        |
| 14.3.6    | TR performance as a function of incident angle . . . . .          | 210        |
| 14.3.7    | Position reconstruction performance . . . . .                     | 212        |
| 14.4      | Work in progress . . . . .                                        | 222        |
| <b>15</b> | <b>Mass production</b>                                            | <b>225</b> |
| 15.1      | General concepts . . . . .                                        | 225        |
| 15.2      | Equipment of production sites . . . . .                           | 225        |
| 15.3      | Database . . . . .                                                | 225        |

|                                                         |            |
|---------------------------------------------------------|------------|
| <b>16 Implementation, infrastructure, and safety</b>    | <b>227</b> |
| 16.1 ALICE experimental area . . . . .                  | 227        |
| 16.2 Implementation of the TRD detector . . . . .       | 228        |
| 16.2.1 General integration considerations . . . . .     | 228        |
| 16.2.2 The space frame . . . . .                        | 228        |
| 16.2.3 Pre-assembly phase . . . . .                     | 229        |
| 16.2.4 Installation in the underground cavern . . . . . | 229        |
| 16.3 Access, maintenance and services . . . . .         | 230        |
| 16.3.1 Access for maintenance and repair . . . . .      | 230        |
| 16.3.2 Services . . . . .                               | 230        |
| 16.4 Safety aspects . . . . .                           | 232        |
| <br>                                                    |            |
| <b>17 Responsibilities, cost, and schedule</b>          | <b>233</b> |
| <br>                                                    |            |
| <b>References</b>                                       | <b>237</b> |
| <br>                                                    |            |
| <b>Glossary</b>                                         | <b>243</b> |